

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

Docket No. PF316C2
(PATENT)**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Patent Application of:
Soppet et al.

Application No.: 10/642,297

Confirmation No.: 2788

Filed: Concurrently Herewith

Art Unit: 1645

For: Hematopoietic Signaling Factor

Examiner: Not Yet Assigned

**PRELIMINARY AMENDMENT AND
RESPONSE TO NOTICE OF OMITTED ITEMS
IN A NONPROVISIONAL APPLICATION**

MS Missing Parts
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In response to the Notice of Omitted Items in a NonProvisional Application ("Notice") mailed November 14, 2003, Applicants submit herewith: (1) a Fee Sheet; and (2) a Copy of the Amendment to the Specification in Response to the Notice of Omitted Items in a NonProvisional Application.

Amendment to the specification begins on page 2 of this paper.
Remarks begin on page 3 of this paper.